

# MATERIAL SAFETY DATA SHEET

## SODIUM HYDROXIDE GRANULES



Date of releasing: 10.01.2025.

Date of reviewing: -

Version EN: 1.0

Material Safety Data Sheet in accordance with WE 1907/2006 of 18.12.2006 – REACH and 2020/878 of 18.06.2020.

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier SODIUM HYDROXIDE IN GRANULES  
REACH registration number: 01-2119457892-27-0025  
CAS number: 1310-73-2  
Index number: 011-002-00-6  
EC number: 215-185-5
- 1.2 Relevant identified uses of the substance or mixture and uses advised against.  
Identified applications: substance for use in technical chemistry, for soap production, in cellulose production, as a cleaning and washing agent in dairy and food industry, in synthesis of dyes.  
Advised against applications: other than above.
- 1.3 Details of the supplier of the safety data sheet.  
Distributor: TOMCHEM Sp. z o.o.  
95-050 Konstancin Łódzki  
ul. Niesięcin 5A  
tel. 42 683-11-83  
tel/fax.; 42-636-43-18
- 1.4 Emergency telephone number 112 (general emergency phone)

### SECTION 2. Hazards identification.

#### 2.1 Classification of the substance or mixture:

Classification and labelling have been determined in accordance with Regulation (EC) 1272/2008 (as amended).  
Product has been classified as hazardous in accordance with Regulation (EC) 1272/2008.

Met. Corr. 1; H290  
Skin Corr. 1A; H314

#### 2.2 Label elements:

Pictogram:



Signal word: Danger

Hazard statements:

- H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

Precautionary statements:

- P260 Do not breathe dust/vapours.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
+P353  
P305+P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
+P338 Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.

#### 2.3 Other hazards:

# MATERIAL SAFETY DATA SHEET

## SODIUM HYDROXIDE GRANULES



Date of releasing: 10.01.2025.

Date of reviewing: -

Version EN: 1.0

Material Safety Data Sheet in accordance with WE 1907/2006 of 18.12.2006 – REACH and 2020/878 of 18.06.2020.

May react violently with various materials (acids, base metals) with the release of hazardous substances (hydrogen, NaOH vapors). Annex XIII of REACH Regulation – Criteria for identifying persistent, bioaccumulative and toxic substances (PBT) and very persistent and very bioaccumulative substances (vPvB) – not applicable. Substances with endocrine disrupting properties (in accordance with the criteria of Commission Delegated Regulation (EU) 2017/2100, Commission Regulation (EU) 2018/605) – not applicable.

### SECTION 3. Composition/information on ingredients

#### 3.1 Substances.

Product identifier	Amount [%]	Hazard class and category codes	Hazard statement codes and supplementary statements	Specific concentration limit, M-factor, Acute toxicity estimate ATE
Sodium hydroxide* CAS: 1310-73-2 EC: 215-185-5 Index No.: 011-002-00-6 REACH No.: 01-2119457892-27-0025	min.98,5	Met. Corr. 1 Skin Corr. 1A	H290 H314	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit.2; H319: 0,5 % ≤ C < 2 %

Full text of H phrases in section 16.

\*substance with a specific OEL value.

### SECTION 4. First aid measures.

#### 4.1 Description of first aid measures.

In case of skin contact:

Remove all contaminated clothing, wash skin with plenty of water. Apply a sterile dressing to burnt area. Do not use any neutralizing agents. Contact a physician.

In case of eye contact:

Rinse eyes for several minutes (approx. 15) with plenty of water, keep eyelids wide open. Avoid strong water jet due to the risk of corneal damage, contact a doctor immediately.

In case of inhalation:

In case of dizziness or nausea take affected person to fresh air; if there is no rapid improvement seek medical advice. If shortness of breath occurs, give oxygen.

In case of swallowing:

Rinse mouth with water. Give plenty of water to drink. Do not induce vomiting (risk of perforation), contact a doctor immediately. Do not give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed.

Skin contact: chemical burns, wounds that are difficult to heal.

Eye contact: chemical burns - risk of permanent eye damage.

Respiratory system: chemical irritation of mucous membranes of nose, throat and further parts of the respiratory system.

Gastrointestinal tract: chemical burns of mouth, throat, liquefactive necrosis of digestive tract with a risk of perforation.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

Decision on course of action is made by the doctor after assessing affected person's condition.

## **MATERIAL SAFETY DATA SHEET**

### **SODIUM HYDROXIDE GRANULES**



Date of releasing: 10.01.2025.

Date of reviewing: -

Version EN: 1.0

*Material Safety Data Sheet in accordance with WE 1907/2006 of 18.12.2006 – REACH and 2020/878 of 18.06.2020.*

#### **SECTION 5. Firefighting measures.**

##### 5.1 Extinguishing media:

Suitable extinguishing media: dry chemical, carbon dioxide (carbon dioxide extinguisher). Use extinguishing methods appropriate to ambient conditions.

Inappropriate extinguishing media: strong water jet.

##### 5.2 Special hazards arising from the substance or mixture:

In contact with water a large amount of heat is released. Hydrogen released may pose a hazard in contact with metals.

##### 5.3 Advice for firefighters:

Containers in fire area should be cooling with a water spray, if possible remove them from the danger area. In case of a fire in a closed room wear protective clothing and a compressed air breathing apparatus. Prevent extinguishing water from entering surface water, ground water and sewage system.

#### **SECTION 6. Accidental release measures.**

##### 6.1 Personal precautions, protective equipment and emergency procedures.

For non-emergency personnel: avoid contact with substance. Do not inhale vapours. When selecting evacuation route consider direction of vapours. Ensure access to fresh air in enclosed spaces.

For emergency personnel: ensure adequate ventilation, use personal protective equipment – protective clothing, protective gloves, respiratory and eye protection.

##### 6.2 Environmental precautions.

Prevent spreading and entry into sewers and water, inform local authorities if protection cannot be ensured.

##### 6.3 Methods and material for containment and cleaning up.

Prevent spreading and remove by collecting on absorbent material in appropriately labelled plastic containers for disposal in accordance with applicable regulations. Clean contaminated surface thoroughly with water. Neutralize by solution with approx. 10% hydrochloric acid, wash packaging thoroughly with water, sewage after neutralization to pH7 can be directed to sewage system.

##### 6.4 Reference to other sections.

Waste treatment – see section 13.

Personal protective equipment – see section 8.

#### **SECTION 7. Handling and storage.**

##### 7.1 Precautions for safe handling.

Use adequate ventilation. Avoid contact with eyes. Avoid contact with skin. Avoid spilling and forming dust of product. Do not inhale dust. Work in accordance with health and safety rules: do not eat or drink, do not smoke in workplace, wash hands after use, remove contaminated clothing and protective equipment before entering areas designated for eating.

##### 7.2 Conditions for safe storage, including any incompatibilities.

Store in a cool, dry, well-ventilated room (general room ventilation and exhaust ventilation), in a properly labelled, closed container. Floor of warehouses adapted for storage of corrosive substances should be easily washable and alkali-resistant, with internal water installation and separate sewage system. Avoid direct sunlight and sources of heat, hot surfaces and open flames. Do not store in aluminium, zinc or tin containers. Protect from moisture. Store away from products specified in section 10.

##### 7.3 Specific end use(s).

Uses according to section 1.2. - no additional recommendations. See attached exposure scenario.

# MATERIAL SAFETY DATA SHEET

## SODIUM HYDROXIDE GRANULES



Date of releasing: 10.01.2025.

Date of reviewing: -

Version EN: 1.0

Material Safety Data Sheet in accordance with WE 1907/2006 of 18.12.2006 – REACH and 2020/878 of 18.06.2020.

### SECTION 8. Exposure controls/personal protection.

#### 8.1 Control parameters:

Ensure adequate ventilation.

Maximum allowable concentration values:

Regulation of the Minister of the Family, Labour and Social Policy of 24 June 2024 on the maximum permissible concentrations and intensities of factors harmful to health in the working environment (Journal of Laws item 1017, as amended).

Chemical name and CAS number	NDS [mg/m <sup>3</sup> ]	NDSch [mg/m <sup>3</sup> ]	NDSP [mg/m <sup>3</sup> ]	Notes: labeling of substances with the notation "skin"
Sodium hydroxide [CAS: 1310-73-2]	0,5	1	-	-

#### DNEL and PNEC values.

No data available.

#### 8.2 Exposure controls:

See Safety Data Sheet Annex: exposure scenarios for identified uses.



#### Respiratory protection.

Avoid inhaling product vapours. When OEL of ingredients is exceeded in work environment use individual respiratory protection equipment – a mask or half-mask complete with a filter and vapor absorber type AP or universal (class 2) in accordance with the EN 141 standard.



#### Hand protection.

Use chemical-resistant protective gloves in accordance with EN-PN 374:2005. Selection of appropriate gloves depends not only on the material but also on brand and quality resulting from differences in manufacturers. Resistance of material from which gloves are made can be determined after testing. Exact time of destruction of gloves must be determined by the manufacturer.



#### Eye protection.

Wear safety glasses or face mask (compliant with EN 166). Provide workplace with eye washers.



#### Body protection.

Use protective work clothing (in accordance with EN 344) - wash regularly.

Thermal hazards: not applicable.

Environmental exposure controls: do not allow to spread in the environment and to enter drains and watercourses.

### SECTION 9. Physical and chemical properties.

#### 9.1 Information on basic physical and chemical properties.

Physical state	solid, granules
Colour	white
Odour	odourless

## MATERIAL SAFETY DATA SHEET

### **SODIUM HYDROXIDE GRANULES**



Date of releasing: 10.01.2025.

Date of reviewing: -

Version EN: 1.0

*Material Safety Data Sheet in accordance with WE 1907/2006 of 18.12.2006 – REACH and 2020/878 of 18.06.2020.*

Melting point/freezing point	318,4 - 322°C
Boiling point or initial boiling point and boiling range	1388 - 1390°C
Flammability	substance is not flammable
Lower and upper explosion limit	not applicable
Flash point	not applicable
Auto-ignition temperature	substance is not self combustible
Decomposition temperature	not applicable
pH	12,4 (r-r 50g/l)
Kinematic viscosity	not applicable
Solubility	water: 42g/100cm <sup>3</sup> in 0°C, 109g/100cm <sup>3</sup> in 20°C, 347g/100cm <sup>3</sup> in 100°C other solvents: ethyl alcohol, methyl alcohol.
Partition coefficient n-octanol/water (log value)	not applicable
Vapour pressure	0hPa in 20°C; 0,13hPa in 618°C; 1,3333hPa in 739°C
Density and/or relative density	2,12 – 2,13 g/cm <sup>3</sup> (melted product)
Relative vapour density	not applicable
Particle characteristics	no data available
9.2 Other information:	
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	not applicable
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit flammable gases in contact with water	not applicable
Oxidising liquids	not applicable
Oxidizing solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	may be corrosive to metals.
Desensitised explosives	not applicable

#### **SECTION 10. Stability and reactivity.**

##### 10.1 Reactivity:

Corrosive to metals.

## **MATERIAL SAFETY DATA SHEET**

### **SODIUM HYDROXIDE GRANULES**



Date of releasing: 10.01.2025.

Date of reviewing: -

Version EN: 1.0

*Material Safety Data Sheet in accordance with WE 1907/2006 of 18.12.2006 – REACH and 2020/878 of 18.06.2020.*

#### 10.2 Chemical stability:

Product is unstable under normal conditions – a strongly hygroscopic substance (by absorbing moisture and carbon dioxide from air, it may become cloudy from the precipitating sodium carbonate).

#### 10.3 Possibility of hazardous reactions:

It reacts violently with acids (reaction with release of heat), and in reaction with base metals (except lead) hydrogen is released, which forms explosive mixtures with air.

#### 10.4 Conditions to avoid:

Avoid high temperatures, direct sunlight, hot surfaces and open flames. Avoid moisture.

#### 10.5 Incompatible materials:

Acids, ammonium salts, light metals.

#### 10.6 Hazardous decomposition products:

Hydrogen is released in reactions with metals.

### **SECTION 11. Toxicological information.**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- |                                      |   |
|--------------------------------------|---|
| a) acute toxicity                    | Based on available data, the classification criteria are not met. LD50 (rabbit, oral) – 500mg/kg (based on 100% NaOH) |
| b) skin corrosion/irritation         | Causes severe skin burns.   |
| c) serious eye damage/irritation     | Causes eye damage.  |
| d) respiratory or skin sensitisation | Based on available data, the classification criteria are not met.   |
| e) germ cell mutagenicity            | Based on available data, the classification criteria are not met.   |
| f) carcinogenicity                   | Based on available data, the classification criteria are not met.   |
| g) reproductive toxicity             | Based on available data, the classification criteria are not met.   |
| h) STOT-single exposure              | Based on available data, the classification criteria are not met.   |
| i) STOT-repeated exposure            | Based on available data, the classification criteria are not met.   |
| j) aspiration hazard.                | Based on available data, the classification criteria are not met.   |

#### 11.2 Information on other hazards.

Substances with endocrine disrupting properties (in accordance with the criteria of Commission Delegated Regulation (EU) 2017/2100, Commission Regulation (EU) 2018/605) – not specified.

Information on probable routes of exposure:

Skin contact: chemical burns, wounds that are difficult to heal.

Eye contact: chemical burns - risk of permanent eye damage.

Respiratory system: chemical irritation of mucous membranes of nose, throat and further respiratory tract.

Gastrointestinal tract: chemical burns of mouth, throat, liquefying necrosis of digestive tract with a risk of perforation.

Delayed, immediate and chronic effects of short- and long-term exposure: no data available.

Effects of interaction: no data available.

## **MATERIAL SAFETY DATA SHEET**

### **SODIUM HYDROXIDE GRANULES**

Date of releasing: 10.01.2025.

Date of reviewing: -

Version EN: 1.0



*Material Safety Data Sheet in accordance with WE 1907/2006 of 18.12.2006 – REACH and 2020/878 of 18.06.2020.*

#### **SECTION 12. Ecological information.**

##### 12.1 Toxicity:

Substance is not classified as hazardous to the environment, due to change in pH it has a very negative effect on aquatic organisms. It should not be allowed to enter groundwater, sewage systems and watercourses.

Acute toxicity for fish at pH 3.7.

Water hazard class 1.

Lethal concentration for fish 20mg/l.

Lethal concentration for carp 180 mg/24h.

At pH

11,0-11,5 - immediate death of all fish species.

10,5-11,5 - immediate death of salmonids, death of tench, crucian carp, pike, carp after some time.

10,8 - carp and tench die.

10,7 - pike die.

10,4 - roach die.

10,2 - crayfish die.

9,2 - brook and rainbow trout, perch, ruff die.

##### 12.2 Persistence and degradability:

No data available.

##### 12.3 Bioaccumulative potential:

No data available.

##### 12.4 Mobility in soil:

No data available.

##### 12.5 Results of PBT and vPvB assessment:

Does not meet PBT and vPvB criteria.

##### 12.6 Endocrine disrupting properties:

Substance does not disrupt the functioning of the hormonal system.

##### 12.7 Other adverse effects:

No data available.

#### **SECTION 13. Disposal considerations.**

##### 13.1 Waste treatment methods.

Treat waste as hazardous. Waste and packaging should be utilize by certified companies. Store residues in original containers. Dispose in accordance with applicable regulations. Empty, cleaned packaging should be disposed (including recycling) in accordance with applicable regulations.

Law dated 8 January 2013 on waste. (Journal of Laws 2013 item 21 as amended).

Law dated 13 June 2013 on the management of packaging and packaging waste. (Journal of Laws 2013 item 888 as amended).

Regulation of the Minister of Climate of January 02, 2020 on the waste catalog (Journal of Laws 2020 item 10 as amended).

#### **SECTION 14. Transport information.**

##### 14.1 UN number or ID number.

UN 1823



## **MATERIAL SAFETY DATA SHEET**

### **SODIUM HYDROXIDE GRANULES**



Date of releasing: 10.01.2025.

Date of reviewing: -

Version EN: 1.0

*Material Safety Data Sheet in accordance with WE 1907/2006 of 18.12.2006 – REACH and 2020/878 of 18.06.2020.*

14.2 UN proper shipping name.

WODOROTLENEK SODU STAŁY

14.3 Transport hazard class(es).

8

14.4 Packing group.

II

14.5 Environmental hazards.

No

14.6 Special precautions for user.

Always transport in closed containers that are upright, labelled and secured.

14.7 Maritime transport in bulk according to IMO instruments.

No data available.



#### **SECTION 15. Regulatory information.**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH),  
Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006 (REACH)

Law dated 24 October 2011 on the transport of hazardous materials (Journal of Laws 2011 item 1367 of 2011, as amended),  
Government Statement of 13 March 2023 on the entry into force of the amendments to Annexes A and B to the Agreement concerning the international carriage of dangerous goods by road (ADR), done at Geneva on 30 September 1957.

Law dated 8 January 2013 on waste. (Journal of Laws 2013 item 21 as amended)

Law dated 13 June 2013 on the management of packaging and packaging waste. (Journal of Laws 2013 item 888 as amended),  
Announcement of the Minister of Health of 2 March 2015 on the announcement of the consolidated text of the Regulation of the Minister of Health on the labelling of packaging of hazardous substances and hazardous mixtures and certain mixtures (Journal of Laws 2015, item 450)

Law dated 25 February 2011 on chemical substances and their mixtures (Journal of Laws 2011 No. 63 item 322, as amended),  
Law dated 26 June 1974 Labour Code (consolidated text: Dz.U. 21 item 94 of 1998 as amended),

Regulation of the Minister of Family, Labour and Social Policy of 24 June 2024 on the maximum permissible concentrations and intensities of factors harmful to health in the work environment (Item 1017 with later amendments).

Regulation of the Minister of Climate of 2 January 2020 on the waste catalogue (Journal of Laws 2020, item 10).

15.2 Chemical safety assessment.

A chemical safety assessment was carried out for the substance.

Annex XIV of the REACH Regulation – List of substances subject to authorisation: not applicable

SVHC substances - Candidate list of substances of very high concern awaiting authorisation: not applicable

Annex XVII of the REACH Regulation – Restrictions on the production, placing on the market and use of certain dangerous substances, mixtures and articles: not applicable

#### **SECTION 16. Other information.**

H phrases:

H290 May be corrosive to metals.



## **MATERIAL SAFETY DATA SHEET**

### **SODIUM HYDROXIDE GRANULES**



Date of releasing: 10.01.2025.

Date of reviewing: -

Version EN: 1.0

*Material Safety Data Sheet in accordance with WE 1907/2006 of 18.12.2006 – REACH and 2020/878 of 18.06.2020.*

H314 Causes severe skin burns and eye damage.

Description of abbreviations, acronyms and symbols used:

Met. Corr. 1 – May be corrosive to metals cat. 1

Skin Corr. 1A – Skin corrosive cat. 1A.

Skin Corr. 1B – Skin corrosive cat. 1B

Skin Irrit. 2 – Skin irritation cat. 2

Eye Irrit. 2 – Eye irritation cat. 2

NDS – Maximum allowable concentration

NDSP – Maximum allowable ceiling concentration

NDSch – Maximum allowable momentary concentration.

DNEL – Level of exposure to a substance above which humans should not be exposed.

PNEC – concentration of chemical which marks the limit at which below no adverse effects of exposure in ecosystem are measured.

LC50 - (lethal concentration) - median lethal concentration, a statistically determined concentration of a substance, after exposure to which 50 percent of the organisms (exposed to the substance) can be expected to die during the exposure or during a specified contractual post-exposure period.

LD50 - (lethal dose) - medial lethal dose, the statistically determined size of a single dose of a substance, after administration of which 50% of exposed test organisms can be expected to die.

EC50 - (effective concentration) - medial effective concentration, statistically calculated concentration that induces in the environmental medium the specified effect in 50% of the experimental organisms under specified conditions

NOEC (no observed effects concentration) - the highest concentration for which there is no statistically or biologically significant increase in the frequency or severity of the effects of the substance in the test organisms relative to the control sample.

vPvB - Very persistent and very bioaccumulative substance

PBT - persistent, bioaccumulative and toxic substances

ADR – European agreement on the road transport of hazardous goods.

RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail

IMDG – International Maritime Dangerous Goods Code

IATA – Regulation on the transport of dangerous goods issued by the International Air Transport Association

#### **Trainings:**

Before starting work with the product it is mandatory to subject employees to EHS training in connection with the presence of chemical factors in work environment. Conduct, document and familiarize employees with the results of the occupational risk assessment at the work station related to the presence of chemical factors.

#### **SOURCE MATERIALS:**

Annex to Regulation (EU) 2020/878 of 18 June 2020.

Regulations mentioned in section 15 of the MSDS.

Changes to the previous version:

Section	Description

The information contained in the safety data sheet applies only to the product listed in title. Data contained in safety data sheet should be treated only as an help for safe use of the product. Since conditions of storage, transport and use are beyond our control they cannot constitute a guarantee in the legal sense. In each case the statutory provisions and any rights of third parties must be observed. Safety data sheet does not constitute an assessment of hazards in the workplace. The product should not be used for purposes other than those specified in section 1 without prior consultation with TOMCHEM Sp. z o.o.

End of document.